



DMX 512 D3-CX 3-Channel Constant Voltage DMX512 & RDM Decoder

Preis	51.96 Euro
Verfügbarkeit	Vorhanden
Versanddauer	14 Tage
Katalognummer	2630
Erzeuger	Mi.Light

Produktbeschreibung

Product Name: 3-Channel Constant Voltage DMX512 & RDM Decoder

Model No.: D3-CX

Input Voltage: DC12~24V

Output Current: 6A/Channel

Total Output Current: Max 18A

Input Signal: Dmx512, RDM

Occupy 3 DMX Address

Working Temp.: -20~60°C

3-channel constant voltage DMX512 & RDM decoder

Support RDM function | Optional dimming curve | PWM frequency is optional
Multiple protection



Accord with DMX512 standard protocol Support RDM function

Comply with DMX512, DMX512 (1990), DMX512-A, RDM V1.0
(E1.20-2006 ESTA standard) International standard agreement



Multi-protection for your easy use

- ☆ Automatically detect when power on
- ☆ Anti-reverse connection protection
- ☆ Short-circuit protection
- ☆ Over current protection and recover function


PWM frequency is optional

PWM high frequency (2000Hz) or
low frequency(500Hz) optional




2 Dimming curves optional

Logarithmic dimming



Linear dimming







Packing Details

