

Link zum Produkt: <https://treppenbeleuchtung.info/fut038sa-rgbw-steuerung-miboxer-p-2888.html>

FUT038SA RGBW Steuerung MiBoxer


Preis	25.85 Euro
Verfügbarkeit	Vorhanden
Versanddauer	4 Tage
Katalognummer	2888
Erzeuger	Mi.Light

Produktbeschreibung

Produktparameter
RGBW-LED-Controller-Kits
Modell-Nr.: FUT038SA
Arbeitsspannung: 12-24 V□
Ausgang: 6A/Kanal
Gesamtausgang: Max. 12A
Arbeitstemperatur: -10-40°C
HF: 2,4 GHz
Kontrollabstand: 30m
Ausgangsanschluss: Gemeinsame Anode
2,4 G Rainbow-Fernbedienung (RGB+CCT)
Betriebsspannung: 3 V (AAA-Batterie-2 Stück)
Sendeleistung: 6dBm
Standby-Strom: 20uA
HF: 2,4 GHz
Modulationsverfahren: GFSK
Kontrollabstand: 30m

RGBW LED Controller Kits

16million colors | Adjustable saturation | Adjustable brightness |
Auto-transmitting | Auto-synchronization



Colorful lights to change

16 million colors and color saturation, touch the remote to get the color you want



Brightness Adjustable


Press brightness button once, then adjust the brightness of lighting by touching color ring

Smooth dimming



PWM high frequency / low frequency

High frequency / low frequency can be switched




Signal transmitting

One LED controller can transmit the signals from the remote control to another LED controller within 30m, as long as there is a LED controller within 30m, the remote control distance can be limitless.

Modes synchronization

Different LED controllers can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and within 30m distance.





More comfortable
to catch

Magnetic base holder for easy installation

Stronger magnetic holder for easy
taking out and put back



2 colors remote can be chosen from

This controller set can choose black, white remote




DC 12V~24V
Available





LED Light interface

2.4G Rainbow Remote (RGB+CCT)



Touch Ring: Brightness, saturation, color temperature, RGB use together.
(It turns to adjust brightness by default if remote is not operated
for 3 seconds)



1PC/BOX
G.W.: 0.12KGS

