

Link zum Produkt: <https://treppenbeleuchtung.info/fut063-6w-rgbccct-wasserdichtes-led-downlight-miboxer-p-2646.html>



FUT063 6W RGB+CCT Wasserdichtes LED-Downlight - MiBOXER

Preis **45.92 Euro**

Verfügbarkeit **Vorhanden**

Versanddauer **4 Tage**

Katalognummer **2646**

Erzeuger **Mi.Light**

Produktbeschreibung

Produktname: 6W RGB+CCT Wasserdichtes LED-Downlight

Modell Nr.: FUT063

Leistung: 6W

Eingangsspannung: AC100~240V 50/60Hz

Farbtemperatur: 2700K~6500K

Lichtstrom: 500LM

Lichtausbeute: 80LM/W

CRI: >80

PF: >0,5

Lebensdauer: 50000 Stunden

Abstrahlwinkel: 120°

HF: 2,4 GHz

Kontrollabstand: 30 m

Lochgröße: ø100mm

Material: Aluminium

6W RGB + CCT LED Waterproof Downlight

Waterproof&moisture-proof, 2.4GHz remote control, 16million colors
Brightness&CCT adjust, Auto-sync and auto-transmitting
function make the control distance limitless



16 Millions of
colors to choose



Color temperature
2700-6500K



Dimmable
Saturation control




Support third party
voice control




Signal transmitting &
Modes synchronization





Hole Size: \varnothing 100mm



1PC/BOX
G.W. : 0.38KGS



IP54 Waterproof


Waterproof and moisture-proof; working more safe



2.4GHz remote control

The lamp can be controlled by 2.4GHz remote control, the control distance is up to 30 meters

compatible with




Support Smart phone APP control and third party voice control

It need 2.4GHz gateway(WL-Box1) for smart phone control or third party voice control



Signal transmitting

One Downlight can transmit the signals from the remote control to another Downlight within 30m, as long as there is a Downlight within 30m, the remote control distance can be limitless.



Modes synchronization

Different Downlight can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and within 30m distance.

16million colors | Saturation control

16millions color change and color saturation control, easily make the light atmosphere you want




Adjust warm white to cool white randomly

Adjust the color temperature from 2700K-6500K, make the light you want



Brightness adjustable

Adjust the brightness according to your need



[**Product details**]

High light transmitting cover

High light transmitting rate; More bright and soft light



Stainless steel spring clip

Strong spring clip make the installation more stable



Strong spring clip
make the installation
more stable



Whole die-casting Aluminum Housing

Precision Aluminum, anti-corrosion
and fast heat dissipation



Constant current&Voltage driver

Constant current & Voltage driver; Stable Current and Voltage;
improve the lifespan of the lights

