

Link zum Produkt: <https://treppenbeleuchtung.info/fut070-blendfreies-6-w-rgb+cct-led-downlight-p-2648.html>



## FUT070 Blendfreies 6-W-RGB+CCT-LED-Downlight

Preis	<b>48.17 Euro</b>
Verfügbarkeit	<b>Vorhanden</b>
Versanddauer	<b>4 Tage</b>
Katalognummer	<b>2648</b>
Erzeuger	<b>Mi.Light</b>

### Produktbeschreibung

Produktname: Blendfreies 6-W-RGB+CCT-LED-Downlight  
Modell Nr.: FUT070  
Leistung: 6W  
Eingangsspannung: AC100~240V 50/60Hz  
Farbtemperatur: 2700K~6500K  
Lichtstrom: 400LM  
CRI:>80  
PF: >0,5  
Lebensdauer: 50000 Stunden  
Abstrahlwinkel: 60°  
Kontrollabstand: 30 m

•

## 6W Anti-glare RGB+CCT LED Downlight

Anti-glare designing; 2.4G RF remote controller, 16 million color change; Saturation, color temperature and brightness adjustable; Auto-sync and auto-transmitting function make the control distance limitless



16 Millions of colors to choose



Color temperature 2700-6500K



Dimmable Saturation control




Support third party voice control



Signal transmitting & Modes synchronization





## 2.4GHz RF Remote Control

Controlled by 2.4GHz remote, control distance is 30M

Compatible with

FUT089 FUT088 FUT092 FUT096 B8 B4/T4 B3/T3 B0 WL-Box1

## Support Smart phone APP control and third party voice control

It need 2.4GHz gateway(WL-Box1) for smart phone control or third party voice control



## 16 million color change freely

Make the lighting atmosphere you want easily  
satisfy your more using requirements



## Warm white to cool white adjustable freely stepless brightness dimming

Color temperature: 2700K~6500K, steplessly adjust the lamp brightness  
Soft and delicate light satisfy different lighting requirements



## Deeply anti-glare design

Refraction material and deepened cover prevent glare effectively and offer you healthy ambient light



Anti-glare range  
(shielding angle)  $>30^\circ$




## Signal Transmitting

One Downlight can transmit the signals from the remote control to another downlight within 30m, as long as there is a downlight within 30m, the remote control distance can be limitless.

## Modes Synchronization

Different downlight can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and within 30m distance.







## Produkt besitzt zusätzliche Optionen

**Lichtfarbe - MILIGHT:** RGB + WW , RGB + CW , CW/WW