

Link zum Produkt: <https://treppenbeleuchtung.info/futc06-scheinwerfer-milight-50w-rgbccct-led-gartenlicht-p-2654.html>

FUTC06 Scheinwerfer MILIGHT - 50W RGB+CCT LED-Gartenlicht

Preis	216.78 Euro
Verfügbarkeit	Vorhanden
Versanddauer	14 Tage
Katalognummer	2654
Erzeuger	Mi.Light

Produktbeschreibung

Produktname: 50 W RGB + CCT LED-Gartenleuchte
Modell Nr.: FUTC06
Leistung: 50W
Eingangsspannung: AC100~240V 50/60Hz
Arbeitstemperatur: -20-60°C
Farbtemperatur: 2700K~6500K
Lichtstrom: 4000LM
Lichtausbeute: 80LM/W
CRI: >80
PF: >0,9
Lebensdauer: 50000 Stunden
Abstrahlwinkel: 25°
Beleuchtungsabstand: >15m
IP-Rate: IP65
HF: 2,4 GHz
Kontrollabstand: 30m

50W RGB+CCT LED Garden Light

2.4GHz Remote control & APP control, Support Third Party Voice Control,
Automatic commands transmitting function, Auto-synchronization



16 million
colors change



CCT
Adjustable



Dimmable
Saturation control

IP65

IP65
waterproof rate



2.4GHz RF Remote Control

The lamp is controlled by 2.4GHz wireless remote; Control distance is within 30m



Compatible with



Support Smart phone APP control and third party voice control

It need 2.4GHz gateway(WL-Box1) for smart phone control or third party voice control




16 Million colors / Saturation control



Brightness adjustable & Color temperature adjustable

Brightness adjustable, Adjust the color temperature from 2700-6500K,
make the light you want



IP65 Waterproof

Professional waterproof technology,
high performance waterproof




Signal transmitting

One lighting fixture can transmit the signals from the remote control to another lighting fixture within 30m, as long as there is a lighting fixture within 30m, the remote control distance can be limitless.

Modes synchronization

Different lighting fixture can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and within 30m distance.



High lumen LED Chips

Low power consumption
and luminance decrease;
Bright color and high brightness

Optical Lens

Anti-dazzling optical lens; diverging
light scientifically. Symmetrical and
bright light ray



High efficiency heat dissipation

Integrative Aluminum design; Inserted thermal conduction, Protect light source lifespan



Waterproof plug

Copper nickel plating material,
Waterproof and dustproof, never rusting

