

Link zum Produkt: <https://treppenbeleuchtung.info/futc66z-deckeneinbauleuchte-zigbee-30-12w-rgbcct-miboxer-p-2871.html>

FUTC66Z Deckeneinbauleuchte Zigbee 3.0 - 12W RGB+CCT - MiBoxer

Preis	64.87 Euro
Verfügbarkeit	Vorhanden
Versanddauer	14 Tage
Katalognummer	2871
Erzeuger	Mi.Light

Produktbeschreibung

Technische Parameter-Steuerung

Produktname: 9W RGB+CCT LED-Gartenleuchte (Zigbee 3.0)

Modell Nr.: FUTC02Z

Spannung: 100-240 V~ 50/60 Hz

Leistung: 9 W

PF: >0,5

Arbeitstemperatur: -20~45°C

Farbtemperatur: 2700K~6500K

CRI: >80

Lichtstrom: 900LM

Lichtausbeute: 100LM/W

Lebensdauer: 50000 Stunden

Abstrahlwinkel: 15°

Beleuchtungsabstand: >10m

IP-Rate: IP66

Drahtlose Technologie: Zigbee 802.15.4

Zigbee-Funkfrequenz: 2.400-2.480 GHz

Kontrollabstand: 100 m (offener Bereich)

9W RGB+CCT LED Garden Light (Zigbee 3.0)

Zigbee 3.0 standard protocol
16 million colors to change, Adjust color temperature
brightness and saturation



IP66





Smart lifestyle with beauty

16 millions of colors to choose
CCT, brightness, saturation adjustable,
Make smart lighting atmosphere
meet all your requirement

[MiBoxer Smart] APP control

Need to match Zigbee 3.0 gateway to experience more functions
(Zigbee 3.0 gateway needs to be purchased separately)



Biorhythm



Music rhythm



Tap-to-Run &
automation



Timing setting



Scene
customization



Device sharing



Sleep/ wakeup
plan



Do not disturb
mode



Zigbee 3.0 Gateway



Support third party voice control

Need to be equipped with Zigbee 3.0 gateway (needs to be purchased separately), which can control ON/OFF, brightness, colors, etc. through voice





It can enter into Philips Hue, IKEA TRADFRI, AMAZON Echo Plus (2nd Gen), Echo (4th Gen), Echo Studio, Echo show (2.Gen) standard zigbee 3.0 gateway



Group Control

Group control can be achieved through the remote control or mobile App (App control needs to be used with Zigbee 3.0 gateway gateway needs to be purchased separately)



4G controlling at any place and any time

4G control the light by smartphone whenever and wherever you are;
Open the light on your way home,
close the light whenever you forget to turn off



Need to match Zigbee 3.0 gateway

Waterproof rate is IP66



High lumen LED Chips

Low power consumption
and luminance decrease;
Bright color and high brightness



Constant Current & Constant Voltage driver

Built-in smart IC to
stabilize current and voltage
protect lamp, eradicate flickering



Optical Lens

Anti-dazzling optical lens
diverging light scientifically
Symmetrical and bright light ray



waterproof and ventilation valve

balance differential pressure inside and outside
Avoid condensation inside the lamp



High efficiency heat dissipation

Integrative Aluminum design
Inserted thermal conduction
Protect light source lifespan

Power cable nut





Copper nickel plating material,
Waterproof and dustproof
Never Rusting




Anti Corrosion inserted pole

Barb design, longer and bigger

Part of application area





1PC/BOX
G.W.: 0.49KGS

