

Link zum Produkt: <https://treppenbeleuchtung.info/mono-steuerung-milight-fut036p-p-2779.html>

Mono Steuerung MILIGHT - FUT036P

Preis	23.24 Euro
Verfügbarkeit	Vorhanden
Versanddauer	4 Tage
Katalognummer	2779
Erzeuger	Mi.Light

Produktbeschreibung

Produktbeschreibung

- 2,4 G RF fernsteuerbar
- Helligkeit stufenlos dimmbar
- Die Signalübertragungsfunktion macht den Steuerabstand grenzenlos
- Unterstützt PWM Hochfrequenz (8KHz) / Niederfrequenz (500Hz) geschaltet

Modell-Nr.: FUT036P

Eingangsspannung: DC12~36V

Ausgangsstrom: 10A/Kanal

Gesamtleistung: Max. 20A

Arbeitstemperatur: -10~40°C

HF: 2,4 GHz

Kontrollabstand: 30 m

Single Color LED Controller

2.4GHz Remote control, Stepless dimming brightness



20A

Total Output Current Max



Support PUSH dimmer

2.4GHz RF
Remote Controllable



Stepless dimming
brightness



Frequency switched
High(8KHz) / Low(500Hz)

Compatible
Remote



FUT087 / FUT087-B



FUT007



FUT006



WL-Box1




S1-W / S1-B / S1-G



B1 / B1-B / T1




B2 / B2-B



K1 / K1-B

Signal transmitting

One controller can transmit the signals from the remote control to another controller within 30m, as long as there is a controller within 30m, the remote control distance can be limitless.



Support smartphone app control and third party voice control

It need 2.4GHz gateway for smartphone control or third party voice control

