

Link zum Produkt: <https://treppenbeleuchtung.info/mono-steuerung-milight-fut036sa-p-2887.html>

Mono Steuerung MILIGHT - FUT036SA

Preis	25.85 Euro
Verfügbarkeit	Vorhanden
Versanddauer	4 Tage
Katalognummer	2887
Erzeuger	Mi.Light

Produktbeschreibung

Einfarbige LED-Controller-Kits
Modell-Nr.: FUT036SA
Arbeitsspannung: 12-24 V
Gesamtausgang: Max. 12A
Arbeitstemperatur: -10-40°C
HF: 2,4 GHz
Kontrollabstand: 30m
Ausgangsanschluss: Gemeinsame Anode
2,4 G Sunrise-Fernbedienung (Farbtemperatur)
Betriebsspannung: 3 V (AAA-Batterie-2 Stück)
Sendeleistung: 6dBm
Standby-Strom: 20uA
HF: 2,4 GHz
Modulationsverfahren: GFSK
Kontrollabstand: 30m

Single Color LED Controller Kits

Adjustable brightness | Auto-transmitting



Brightness Adjustable

Press brightness button once, then adjust the brightness of lighting by touching color ring



2.4G wireless transmitting Control distance 30m

Adopt 2.4G wireless transmitting technology, with strong anti-interference, long distance transmission; Control distance 30m; easier operation



Support Smartphone APP control and third party voice control

It need 2.4GHz gateway for smartphone control or third party voice control




PWM high frequency / low frequency

High frequency / low frequency can be switched

High frequency (8KHz)

Low frequency (500Hz)



Signal transmitting

One LED controller can transmit the signals from the remote control to another LED controller within 30m, as long as there is a LED controller within 30m, the remote control distance can be limitless.



More comfortable
to catch

Magnetic base holder for easy installation


Stronger magnetic holder for easy
taking out and put back




2 colors remote can be chosen from

This controller set can choose black, white remote





2.4G Sunrise Remote (Color Temp.)



Touch Ring: Brightness, color temperature, use together. (It turns to adjust brightness by default if remote is not operated for 3 seconds)

