Aktuelle Daten für den Tag: 29-03-2024 13:06

Link zum Produkt: https://treppenbeleuchtung.info/futt07-scheinwerfer-milight-100w-rgbcct-led-p-2134.html



FUTT07 Scheinwerfer MILIGHT - 100W RGB+CCT LED

Preis	**343.63 Euro**
Vorheriger Preis	~~**378.33 Euro**~~
Verfügbarkeit	**Vorhanden**
Versanddauer	**14 Tage**
Katalognummer	**2134**
Erzeuger	**Mi.Light**

Produktbeschreibung

Produktname: 100 W RGB+CCT-LED-Flutlicht
Modell Nr.: FUTT07
Leistung: 100W
Spannung: AC100~240V 50/60Hz
Kelvin: 2700-6500K
Lichtstrom: 7500-8500LM
Lichtausbeute: 85LM/W
Standby-Stromverbrauch: 0,65 W
CRI: >80
PF: >0,9
Abstrahlwinkel: 160°
IP-Rate: IP65
Größe: 295 x 60 x 402,32 mm


100W RGB+CCT LED Floodlight
Remote control & APP control, Automatic commands transmitting function, Auto-synchronization
IP65
IP65
16 million colors
Dimmable & Saturation control
CCT Adjustable

16 Million colors / Saturation control



Control never like this convenient

2.4GHz remote control, cell phone APP control, enjoy the convenient life bring by technology.
(*Need WiFi iBox for smartphone App control)




Compatible with



FUT089 FUT088 FUT092 FUT095 FUT096 B8 B4/T4 B3/T3 B0



IP65 Waterproof
Professional waterproof technology,
high performance waterproof
IP65


Adjust warm white to cool white randomly
Adjust the cool temperature from 2700~6500K, make the light you want



Automatic commands transmitting function

One floodlight can send the commands from the remote control to another,
which makes the control distance limitless.
(The distance from one light to another has to be within 30m).



Auto-synchronization

Different floodlight can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and with same speed.



High CRI Philips LED chips


Highly object colors restore,
Better heat disspation and longer lifespan





Professional heat sink design

Adopt integrated aluminum material heat sink heat sink design, super heat sink function, protecting the light source lifespan.





Alloy waterproof plug
Electroplate stainless steel plug, fixed with snap, safe and reliable

Application scene display













295mm
345mm
402.32mm
53.5mm
60mm