Aktuelle Daten für den Tag: 28-03-2024 19:41

Link zum Produkt: https://treppenbeleuchtung.info/futc03-scheinwerfer-milight-15w-rgbcct-led-gartenlicht-p-2192.html



FUTC03 Scheinwerfer MILIGHT - 15W RGB+CCT LED Gartenlicht

Preis	**93.13 Euro**
Verfügbarkeit	**Vorhanden**
Versanddauer	**3 Tage**
Katalognummer	**2192**
Erzeuger	**Mi.Light**

Produktbeschreibung

Multifunktionsgerät als Controller fungieren, ermöglicht es Ihnen, die Beleuchtung über WLAN in Ihrem Haus steuern mit Hilfe von Geräten, die auf Android oder IOS.
Router MI LIGHT ermöglicht es Ihnen, zu Ihrem Heimnetzwerk zu verbinden, so dass Sie nicht mehr benötigen, um zwischen drahtlosen Netzwerken wechseln. MILIGHT Router ermöglicht Ihnen auch, Licht zu steuern, auch wenn Sie nicht zu Hause sind.

Wi-Fi-Router verwendet werden, um alle Geräte 2.4G intelligente Beleuchtung unterstützt werden: Glühlampen RGB, RGBW, dimmbare Beleuchtung etc. Diese einfachen Vorrichtung können Sie Ihre Lichtsteuerung mit einem Smartphone auf Basis von iOS oder Android, eine neue kostenlose Anwendung verfügbar im Appstore oder Google Play (MI.LIGHT).

Produktname: 15W RGB+CCT LED-Gartenlampe
Modell Nr.: FUTC03
Leistung: 15W
Eingangsspannung: AC100~240V 50/60 Hz
Farbtemperatur: 2700K~6500K
Lichtstrom: 1200LM
Lichtausbeute: 80LM/W
CRI: >80
PF: >0,5
Lebensdauer: 50000 Stunden
Abstrahlwinkel: 15°
Beleuchtungsabstand: > 10 m
IP-Rate: IP65
Material: Aluminium


Anwendungsgebiete : Garten, Türen, Garagen


15W RGB+CCT Smart LED Garden Lamp
2.4G RF remote control & Smartphone APP control, Automatic commands transmitting function, Auto-synchronization
16 Million Colors
Dimmable & Saturation Control
CCT Adjustable
Mi·Light


Mi·Light
Smart lifestyle with beauty
16 million color change, saturation adjustable
Make smart lighting atmosphere
meet all your requirement

Brightness adjustable & Color temperature adjustable

Brightness adjustable, Adjust the color temperature from 2700-6500K,
make the light you want



2.4GHz remote control
Smartphone APP control

Wireless remote and smartphone control, realize the multi-functional setting, experience smart home life


* Need WiFi iBox for smartphone APP control



Compatible with



FUT089 FUT088 FUT092 FUT095 FUT096 B8 B4/T4 B3/T3 B0


Symmetrical and
centralized light ray
Beam Angle 15° Irradiation distance 10m



Waterproof and
Dustroof rate: IP65
IP65

Auto-transmitting Diagram

One Garden Light can transmit the signals from the remote control to another Garden Light within 30m, as long as there is a Garden Light within 30m, the remote control distance can be limitless.

Auto-synchronization function

Different Garden Light can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and with same speed.




Freely Adjustment, Easy & Convenience
360° Rotate Moving, 180° Vertical Moving, Easy To Adjust
Mi·Light
360°
180°

High Efficient LED Chips

Adopt Philips LED Chips
CRI>80, highly object colors restore
Better heat dissipation and longer lifespan





Constant Current& Constant Voltage driver

built-in smart IC to stabilize current and voltage
protect lamp, eradicate flickering

Optical Lens

Anti-dazzling optical lens; diverging light scientifically. Symmetrical and bright light ray





High efficiency heat dissipation

Integrative Aluminum design; Inserted thermal conduction, with thermal convection in air movement, Protect light source lifespan

Power cable nut

Adopt stainless steel materials
waterproof and dustproof
Never Rusting






Anticorrosion inserted pole

High quality Aluminum, longer and more thick
strong anticorrosion

Part of application area









Installation Diagram

