



FUTC05 Scheinwerfer MILIGHT - 25W RGB+CCT intelligente LED-Gartenlampe

Preis	130.29 Euro
Verfügbarkeit	Vorhanden
Versanddauer	14 Tage
Katalognummer	2328
Erzeuger	Mi.Light

Produktbeschreibung

Produktname: 25 W RGB + CCT Smart LED-Gartenlampe

Modell-Nr.: FUTC05

Leistung: 25 W

Spannung: AC100~240 V 50/60 Hz

Kelvin: 2700~6500K

Lichtstrom: 1700LM

Lichtausbeute: 70LM/W

CRI: >75

PF: > 0,5

Lebensdauer: 50000 Stunden

Abstrahlwinkel: 15°

Beleuchtungsabstand: >10m

IP-Rate: IP66

Material: Aluminium

RGB+CCT Smart LED Garden Light

Remote control | APP control | Auto-transmitting | Auto-synchronization



16 million
colors change



CCT
Adjustable



Dimmable
Saturation control



IP66
waterproof rate

Smart lifestyle with beauty

16 million colors change, saturation adjustable
Make smart lighting atmosphere meet all your requirement



Brightness adjustable & Color temperature adjustable

Brightness adjustable, Adjust the color temperature from 2700-6500K,
make the light you want



2.4GHz RF Remote Control

The lamp is controlled by 2.4GHz wireless remote; Control distance is within 30m



Compatible with



FUT089



FUT088



FUT092



FUT095



FUT096



B8



B4/T4



B3/T3




B0

Support Amazon Alexa Voice Control Smart Phone APP Control

Turn ON/OFF and adjust brightness, color temperature, lighting colors
by Voice commands or APP; easily fulfill the personalized setting.


*Amazon Alexa Voice Control(Need Mi-Light WiFi Remote)

Smartphone APP Control(Need Mi-Light WiFi iBox or WiFi Remote)



Symmetrical and centralized light ray

Beam Angle 25°, Irradiation distance 10m



Outdoor Using and Waterproof


Waterproof rate is IP66

Working normally at outdoor using in raining days



Auto-transmitting function

One garden light can transmit the signals from the remote control to another garden light within 30m, as long as there is a garden light within 30m, the remote control distance can be limitless.



Auto-synchronization function

Different garden light can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and with same speed, and within 30m distance.



Adjustable freely and easy operation

Install at different scenes; can rotate and adjust the beam angle freely



High lumen LED Chips

Low power consumption
and luminance decrease;
Bright color and high brightness



Optical Lens

Anti-dazzling optical lens; diverging
light scientifically. Symmetrical and
bright light ray

Anticorrosion inserted pole

High quality Aluminum, longer and
more thick strong anticorrosion

Power Supply

Stable and durable, Protecting the lamp, Lifespan is longer

Power cable nut

Adopt stainless steel materials
waterproof and dustproof
Never Rusting

High efficiency heat dissipation

Integrative Aluminum design; Inserted thermal conduction, Protect light source lifespan



Part of application area

