

Link zum Produkt: <https://treppenbeleuchtung.info/scheinwerfer-milight-wi-fi-20w-pir-futp04-p-1710.html>

Scheinwerfer MILIGHT - WI-FI 20W PIR - FUTP04

Preis	83.29 Euro
Verfügbarkeit	Waren nicht verfügbar sind
Versanddauer	4 Tage
Katalognummer	1710
Erzeuger	Mi.Light

Produktbeschreibung

Multifunktionsgerät als Controller fungieren, ermöglicht es Ihnen, die Beleuchtung über WLAN in Ihrem Haus steuern mit Hilfe von Geräten, die auf Android oder IOS.

Router MI LIGHT ermöglicht es Ihnen, zu Ihrem Heimnetzwerk zu verbinden, so dass Sie nicht mehr benötigen, um zwischen drahtlosen Netzwerken wechseln. MILIGHT Router ermöglicht Ihnen auch, Licht zu steuern, auch wenn Sie nicht zu Hause sind.

Wi-Fi-Router verwendet werden, um alle Geräte 2.4G intelligente Beleuchtung unterstützt werden: Glühlampen RGB, RGBW, dimmbare Beleuchtung etc. Diese einfachen Vorrichtung können Sie Ihre Lichtsteuerung mit einem Smartphone auf Basis von iOS oder Android, eine neue kostenlose Anwendung verfügbar im Appstore oder Google Play (MI.LIGHT).

Leistung: 20 W
Spannung: AC86-265V / 50-60Hz
Kelvin: 2700-3200K / 6000-6500K
Lichtstrom : 2000LM
Lichtausbeute : 100LM / W
CRI:> 80
Strahlungswinkel : 160 °
PF: ≥0.65
Material: Aluminium Material
IP-Rate: IP65
Steuerabstand : 30m
Abtastabstand: Max.8m
Größe: 155 * 62 * 173mm
Anwendungsgebiete : Garten, Türen, Garagen

20W PIR LED Floodlight


The Floodlight has Auto-transmitting function, one can send signal to another, which makes the wireless transmission distance limitless





**No wiring between bulb and switch,
Automatic sensing moving**


Installation



Application

2.4G Wireless control, No wiring

One switch can sense many PIR floodlight at the same time
(Control Distance 30m, the sensing distance can reach 8 meters)




Automatic Commands Transmitting Function

Mi light PIR lighting series can send to each other the commands from the sensor switch, which makes the sensing distance limitless. (The signal transmitting distance from one light to another can reach 30 meters)


One switch can sense many lights

One switch can sense many PIR floodlight at the same time



Many switches can sense the same light

One PIR floodlight can be controlled no more than 20 sensor switches



Outdoor



Doors



Garages




Professional heat sink design

Adopt integrated aluminum material heat sink
heat sink design, super heat sink function, protecting
the light source lifespan.



High-efficient light transmittance glass cover

Adopting imported toughened glass cover
high light transmittance efficiency
evenly light transmittance, high refraction power.



Alloy waterproof plug

Electroplate stainless steel plug, fixed with
snap, safe and reliable.

