

Link zum Produkt: <https://treppenbeleuchtung.info/sl4-12-miboxer-glhlampe-led-leuchte-3w-rgbw-ip66-p-2928.html>

SL4-12 Miboxer - Glühlampe, LED Leuchte 3W RGBW IP66

Preis	22.19 Euro
Verfügbarkeit	Vorhanden
Versanddauer	4 Tage
Katalognummer	2928
Erzeuger	Mi.Light

Produktbeschreibung

Produktname: 3W RGBW LED-Strahler
Modell Nr.: SL4-12
Leistung: 3W
Eingangsspannung: 12 V□
Farbtemperatur: 2200K / 2700K
Abstrahlwinkel: 36°
IP-Rate: IP66
Lebensdauer: 50000 Stunden
Lochgröße: ø33~36mm
Material: Aluminium
Arbeitstemperatur: -10~40°C

3W RGBW LED Spotlight

Exquisite and Small size, IP66 waterproof



With waterproof male and female connector

IP66 Waterproof

For outdoor lighting and suitable for various scene




Wiring-free design

It comes with waterproof male and female connector
for easier installation




To realize adjust brightness and color when using with controller


Remote controlled | 16 million colors adjustable | White mode
Dim brightness stepless dimming




FUT038




FUT038M



FUT038S



FUT038Z



FUT038W

It can dim brightness and color after connecting to controller. For more function descriptions, please refer to manual of controller



Dim brightness stepless dimming

Dim brightness arbitrarily adjust, smoothly transition





High light transmittance mask

High light transmittance, makes lighting softer and brighter




Stainless steel spring buckle

Strong and powerful, makes installation firmly




Waterproof male and female connector

Wiring-free, for easier installation




Connection Diagram


Need to use with RGBW series LED controller (purchase separately)




Installation Diagram




1. Open the hole according to picture 1 (opening size: Ø33-36mm)



2. Connect lights according to connection diagram.



3. Make spring buckles on both ends of product upright and put them into holes.




4. Installation is complete.

Optional Accessories (Need to purchase separately)

1.Connecting line



2.Extended line



3.Waterproof cap



Application scenarios

